

Bibliographie

Adjadj E., Quiniou E., Mispelter J., Favaudon V., Lhoste JM. (1992). Three-dimensional solution of apo-neocarzinostatin from *Streptomyces carzinostaticus* determined by NMR spectroscopy. *Eur.J. Biochem.* 203, 505-511

Adjadj E., Quiniou E., Mispelter J., Favaudon V., Lhoste JM. (1992). The seven-stranded beta barrel structure of apo-neocarzinostatin as compared to the immunoglobulin domain. *Biochimie.* 75:853-858.

Akasu A.Z., Benmouna M., Han C.C. (1980). *Polymer* 13 : 409.

Alonso, D.O.V. & Dill K.A. (1991) *Biochemistry* 30, 5974-5985

Andreani C. Deriu A., Filabozzi A.,and Russo D.(1997). Low frequency dynamics in the enzyme superoxide dismutase revealed by inelastic neutron scattering. *Physica B* 234-236 ; 223-224.

Andreani C., Filabozzi A., Menzinger F., Desideri A., Deriu A. Di Cola D. (1995). Dynamics of hydrogens atoms in superoxide dismutase by quasi-elastic neutron scattering. *Biophys. J.* 68, 2519-2523.

Anfisen C.B. (1973) Principles that govern the folding of protein chains. *Science* 181, 223-230

Anson M.L. (1945). *Adv. Protein Chem.* 2, 361

Anson M.L. et Mirsky A.E. (1931). *J. Phys. Chem.* 35, 185

Aune K. C. et al., (1967) *J. Biol. Chem.* 242 ,4486-4489

Balbach J., Forge V., Vannuland NAJ, Winder S.L., Hore PJ., Dobson CM. (1995). Following protein folding in real time using NMR spectroscopy. *Nat Struct. Biol.*, 2 865-870.

Baldwin RL. (1993). Pulsed H/D exchange studies of folding intermediates. *Curr Opin. Struct Biol* 3 84-91.

Baldwin R.L. (1996) On –pathway versus off pathway folding intermediates. *Fold Des* (1) R1-8.

Bée M. (1998) Quasielastic neutron Scattering : Principles and applications in Solid State Chemistry, Biology, and Materials Science, Adam Hilger, Bristol.

Belloque J. and G. M. Smith (1998) Thermal Denaturation of β -lactaglobulin. A H-NMR Study. *J. Agric. food. Chem.* 4: 1905-1813

Benoit-Doty . (1953) *J. Phys. Chem.* 57, 958:

Benoît H. et Benmouna M. (1984). *Macromolecules* 17, 535-540

Bergethon P. *The physical Basis of Biochemistry*, 1998 Springer Verlag, New York

Bhattacharjaya. S, P. Balařam. (1997). Hexafluoroacetone hydrate as a structure modifier in proteins : Characterization of a molten globule state of hen egg-white lysozyme. *Protein Science* 1065-1073.

Bonetti M. et al. (1999) *Rev Sci Intr.* 70, 4015-4019

Bonneté F, Finet S., Tardieu A.. (1999) Second virial coefficient : variation with lysozyme crystallization conditions. *Journ. of Cryst. Growth* 196, 404-414.

Bonneté F., Madern D., Zaccai G. (1994). Stability against denaturation mechanisms in halophilic malate dehydrogenase 'adapt' to solvent condition. *J.Mol. Biol.* 244, 436-447.

Bork P., Holm L., Sander C.(1994). The Immunoglobulin Fold. Structural classification, Sequence Patterns and Common core. *J.Mol Biol.* 242, 309-320.

Braig.K. 1998 . Chaperonins. *Curr. Opin Struct. Biol* (8) 159-165;

Branden Carl & Tooze Jhon. (1991). *Introduction to protein structure*. Garland Publishing, Inc. New York and London.

Breslow R., Guo T., (1990) Surface tension measurement show that chaotropic salting in denaturants are not just water structure breakers. *Proc.Natl.Acad. Sci USA* 87 : 167-169.

Buck M., Schwalbe, H., & Dobson, C.M. (1995) *Biochemistry* 34, 13219-13232

Buevich A.V., Baum J.(1999). Dynamics of Unfolded Proteins Incorporation of Distribution of Correlation Times in the model free Analysis of NMR Relaxation Data. *J.Am.Chem. Soc* 121 (37) 8671-8672

Bursulaya, Brady D. ; Brooks, Charles L., (1999). Folding Free Energy surface of a Three stranded β -Sheet Protein. *J. Am. Chem. Soc* 121 (43), 9947-9951

Calmettes P., Durand D., Desmadril M, Minard P, Receveur V, and Smith J.(1994). How random is a highly denatured protein ? *Biophys. Chem* 53,105-114

Calmettes P. Diffusion des neutrons aux petits angles : choix de l'échantillon et traitement des données. *J Phys I France* 9 (1999).

Carpentier L, Bée M., Giroud-Godquin A.M., Maldivi P., Marchon J.C. (1989). Alkyl chain motion in columnar mesophases. A quasielastic neutron scattering study of dicopper tetrapalmitate. *Mol Phys* ; 68 1367-1378 ;

Chan H.S. and Dill K.A. (1996) Comparing folding codes for proteins and polymers. *Proteins. Struct. Funct. Genet.* 2' (3) 335-44

Chan H.S. and Dill K.A., (1989) *Macromolecules* 22, 4559

Chan, H.S., Dill.K.A.(1988). Intrachain loops in polymers: Effect of excluded volume.
J. Chem. Phys. 90 :492-509

Chen L., Hodgson K.O., Doniach S. (1996). A lysozyme folding intermediate revealed by solution X-ray scattering. *J.Mol. Biol.* 261 ; 658-571

Chen L., Wildeger G., Kiehaber T., Hodgson K.O., Doniach S., (1998). Kinetics of Lysozyme refolding : structural characterization of a non specifically collapsed state using time resolved X-ray scattering. *J.Mol.Biol* 276, 225-237.

Chen. L., Hodgson K.O. & Doniach S. (1996) *J.Mol.Biol* 261, 658-671

Chick, H. & Martin, C. J. (1911) *J. Physiol.* 43, 1

Clark, P.L. ; Sukumar, M. ; liu, Z.P. ; Rizo, J. ; Weston, B.F. ; Rotondi, K.S. ; Geraschi, L.M.. (1999) folding of a predominantly protein with a central cavity. *Pept.Proc.Am. Pept. Symp.* ; 349-351

Cotton J.P. (1991) Neutron, X-Ray and Light Scattering, 3-18, Elsevier science Publishers B.V.

Cotton J.P. (1991) Neutron, X-Ray, and Light Scattering, 19-31, Elsevier Science Publischers B.V.

Creighton T.E. (1993) Proteins. Structures and molecular Properties. W.H. Freeman and Company, New York

Cunningham B.C. & J.A. Wells. (1997). Minimized proteins. *Curr. Opini.in structural Biol.* 7; 457-462.

Cusak S. and Doster W., (1990), Temperature dependence of the low frequency dynamics of myoglobin. *Biophys. J.* 58 :243-251

Cusak S. Large Amplitude motion in biological systems. Hercules Book.Volume III application to soft condensed matter and biology.chapitre XVI pp 279-296. Les editions de physique.

Dahlborg U.and A Rupprecht (1971) *Biopolymers* 10 , 849

Damaschun G., Damaschun H., Gast K., Zirser D. (1999)^o . Proteins Can adopt totally different folded Conformations. *J.Mol. Biol.* 291, 715-725

Damashum, G., Damaschum, H., Gast K., Zirwer D., *Biochemistry* 63 : 259-270.

Davies S.M.A., Kelly, S.M., Price, N.C.&Bradshaw, J.P. (1998). Structural plasticity of the

deline leukaemia virus fusion peptide :a circulas dichroism study ; *FEBS Letters* 425, 415-418 ;

Debye (1944) *J. Appl. Phys.* 15 338-342

Des Cloizeaux, (1973). *Macromolecules* 6 403-407

De gennes P.G. (1979) Scaling Concepts in Polymer Physics, *Cornell University Press London.*

Deriu A. (1993). The power of quasielastic neutron scattering to probe biophysical systems. *Physica B* 183, 331-342.

Dill K. A. and Chan H.S. (1997). From Levinthal to pathways to funnels. *Nat. Struct. Biology.* 4 : 10-19

Dill K.A. (1985). *Biochemistry* 24, 1501

Dill K.A. and Shorlte D.(1991). Denatured States of proteins. *Annu. Rev. Biochm.* 60 :795-825

Dill K.A., Bromberg, S., Yue, K., fiebig K.M., Yee, D.P., Thomas, P.D. and Chan, H.S. (1995). Principles of protein folding. A prospective from simple exact models. *Protein Sci.* 4, 561-602

Dill, K.A. (1990). Dominant forces in protein folding. *Biochemistry*, 29,7134-7155

Dobson C.M. and Karplus M. (1999). The fundamentals protein folding : bringing together theory and experiment. *Current Opinion in structural Biology*, 9 : 92-101]

Dobson, C.M. (1994) *Curr. Biol.* 4, 636-640 ;

Doster W., Cusak S., Petry W. (1989). Dynamical transition of myoglobin revealed by inelastic neutron scattering. *Nature* 337 : 754-756

Douglas J. F. et Freed K. F., (1985) .*Macromolecules* 17 1854-1870

Dufton M. J., Hider RC. (1983). Conformational properties of the neurotoxins and cytotoxins isolated from Elapid snake venoms. *CRC Crit. Rev. Biochem.* 14: 113-171.

Dunbar. J, Yennawar H.P., Banerjee S., Luo J., Farber G.K. (1997) The effect of denaturants on protein structure. *Protein Science* 6 :1727-1733

Egestaff. P.A. (1976). An Introduction to Liquid states pp 73-77, *London academic Press.*

Elzier D., Jennings PA., Wright PE., Doniach S., Hodgson SK. Tsuruta H. (1995) The radius of giration of an apomyoglobin folding intermediate. *Science.* 270 ; 487-488.

Engelhard M., Evans PA. (1996). Experimental investigation of side chain interaction in early folding intermediate *Fold Des*, 1 ; 31-37.

Farrow, N.A., Zhang O., Forman-Kay J.D., Kay, L.E.(1997). Characterization of the Backbone Dynamics of folded and Denatured States of an Sh3 domain. *Biochemistry* 36 (9) 2390-2402.

Feigin L. A. and Svergun D. I., (1989), Structure Analysis by Small angle X-ray and Neutron Scattering, *Plenum Press, New York and London*

Feng H.P., Widom J. (1994) Kinetics of compaction during lysozyme refolding studied by continuous-flow quasi-elastic light scattering. *Biochemistry*. 33, 13382-13390.

Ferrand M., A. Dianoux, W. Petry and G.Zaccaï. (1993). Thermal motions and function of bacteriorhodopsin in purple membrane : Effects of temperature and hydration studied by neutron scattering. *Proc. Natl.Acad.Sci.U.S.A.* Vol 90 : 9668-9672.

Ferrand M., Zaccaï G., Nina, J.C. Smith, C. Etchebest and B.Roux. (1993). Structure and dynamics of bacteriorhodopsin. Comparison of simulation and experiment. *FEBS* 327, 3, 256-260.

Fersht A.R. (1997) Nucleation mechanisms in protein folding. *Curr Opini Struct Biol* (7), 3-9

Fersht A.R. et al. (1995) *Proc. Natl. Acad. Sci. U.S.A.* 92, 10869-10873,

Fiebig K.M., H. Schwalbe, M. Buck, L.J. Smith, Dobson C.M. (1996). Toward a Description of the conformations of Denatured States of proteins. Comparison of a random Coil model with NMR measurements. *J. Phys. Chem.* 100 :2661-2666

Filabozzi A., Deriu A. Andreani C., (1996) Temperature dependence of the dynamics of superoxido dismutase by quasi-elastic neutron scattering. *Physica B* vol 226, N 163, 56-60.

Filimonov V. & Rogov V. (1996) Reversible Association of the equilibrium unfolding intermediate of lambda-Cro repressor. *J.Mol. Biol.*, 255, 767-777.

Filimonov V., J. Prieto, J.C. Martinez, M. Briuix, P.L. Mateo and L. Serrano. (1993). Thermodynamic Analysis of the Chemotactic Protein from escherichia coli, CheY. *Biochemistry* 32, 12906-12921

Finkelstein A.V, (1997).protein structure : what is it possible to predict now ? *Curr Opin Struct Biol* (7), 60-71

Fitter J., Lechner R.E., and Dencher N.A. (1997). Picosecond Molecular Motions in Bacteriorhodopsin from Neutron Scattering. *Biophys.J* 73, 2126-2137.

Fraunfelder H. Sligar S.G., Wolynes P.G. (1991). The Energy Landsacpes and Motion of proteins. *Science* 254 1598-1603

Freire E. (1994). Statistical thermodynamic analysis of differential scanning calorimetry data: Structural deconvolution of heat capacity function of proteins. In *Methods in enzymology*. Academic Press, London. 240: 502-530.

Freire E.(1995). Thermal denaturation Methods in the Study of Protein Folding. *Methods in enzymology* Academic Press, London Vol 29 144-168.

Gao X. & Burkhardt W.(1991). Two and three dimentional proton NMR studies of apo-neocarzinostatin. *Biochemistry* 30, 7730-7739

Garcia P., Desmadril M., Minard P., and Yon J. (1995) Evidence for residual structures in an unfolded form of yeast phosphoglycerate kinase. *Biochemistry* 34, 397-404.

Gestzoff E.D., Tainer, J.Q., Stempien, M.M., Bell, G.I., Hallewell R.A (1989).Evolution of CuZn superoxide dismutase and the Greek key-barrel structural motif. *Proteins* 5 : 322-336,

Gibson B.W., Herlihy, W.C., Samy T.S.A., Hahm, K.S. Maeda, H., Meienhofer J. & Biemann, K.(1984); *J. Biol . chem.* 259, 10801-10806

Golberg DP, Zhang J.X. (1993). Small effects of amino acid replacement on the reduced and unfolded state of pancreatic trypsin Inhibitor. *Protein* :

Goldberg I.H. & Kappen L.S. Neocarzinostatin chemical and biological basis of oxidative DNA damage, enediynes antibiotics as antitumor agents. (1995). 327-362

Goto Y. Hagihara Y., Hamada D., Hoschino M., Nishii I. (1993). Acid unfolding and refolding transitions of cytochrome c: A 3-state mechanism in H₂O and D₂O. *Biochemistry* 32 : 11878-11885.

Gripon C. Legrand L., Rosenman I. Vidal O., Rober MC. Boue F.(1997) lysozyme-lysozyme interactions in under and super saturated solutions : a simple relation between the second virial coefficients in H₂O and D₂O. *Journ of Cryst. Growth* 178 4 574-84.

Griko Y., E. Freire, P Privalov. 1994. Energetics of the alfa lactalbumin state : A calorimetric and statistical thermodynamic Study. *Biochemistry* 33 : 1889-1899

Green, N. M.and M. D. Melamed. (1966). Optical rotatory dispersion, circular dichroism and far ultraviolet spectra of avidin and streptavidin. *Biochemical J.* 100: 614-621.

Guinier A. Fournet G. (1995) Small angle scattering of X Rays' Wiley interscience, N.Y.

Harrison S.C. and Durbin, R (1985), Is there a single pathway for the folding of a polypeptide chain ? *Proc. Acad. Sci. USA* 82, 4028-4030

Hazes B. & Hol W.G.J. (1992). Comparison of the Hemocyanin beta barrel with other Greek key beta barrels : possible importance of the 'beta zipper' in protein structure and folding. *Proteins* 12 :2786-298

Hedwig GR. Lilley TH, Linsdell H. (1991) *J. Chem Soc Faraday Trans* 87:2975-2982

Herny, E.R and Hofrichter, J. (1992) *Methods Enzymol* 210, 129-192

Heyd B., Lerat G., Adjadj E., Minard P., Desmadril M. (2000) Reinvestigation of the proteolytic of néocarzinostatin. Sous presse *J. Bact.*

Higgins J.S. & Benoit H.C. (1994) *Polymers and neutrons scattering*. Clarendon Press, Oxford.

Ishida, N. Miyasaki, K., Kumagai, K&Rikimaru, M. (1965). Neocarzinostatin, an antitumor antibiotic of high molecular weight. *J. Antibiot* 18 :68-76

Itzhaki L.S., Otzen D.E. et Fersht A.R.(1995). The structure of the transition state for the folding of chymotrypsin inhibitor 2 analysed by protein engineering methods : evidence for a nucleation-condensation mechanism for protein folding. *J.Mol Biol* (254), 260-288

Jacrot B. (1976). The study of biological structures by neutron scattering from solution. *Rep. Prog. Phys* 39, 911-935

Jackson S.E. and Fesht A.R. (1991). Folding of chymotrypsin inhibitor 2.1 Evidence for two state transition . *Biochemistry* 30, 10428-10435.

Jackson. S.E. (1998) How do small single domain proteins fold ? *Fold Des* (3) R81-91

Jaenicke J. (1993). R. Role of accessory proteins in protein folding. *Curr Opin Struct Biol.* (53) 104- 112

James R.W. (1962) The optical principles of the diffraction of X ray . *Cornell univ. Press , NY*

Karplus, M. and et Weaver D.L. (1994) Protein folding dynamics : the diffusion collision model and experimental data. *Protein Sci.* 3, 650-668

Karplus, M. Weaver, D.L.(1976). Protein folding dynamics. *Nature* 260 : 404-406.

Kim KH., Kwon BM., Myers A.G. Rees D.C.(1993). Crystal Structure of Neocarzinostatin, an Antitumoral Protein Chromophore Complex. *Science* 12, 1042-1045

Kim P.S. et Baldwin R.L. (1982). Specific intermediate in the folding reactions of small proteins and the mechanism of protein folding. *Annu Rev Biochem* (51), 459-489

Kirk. W, Kurian E. F Prendergast ; (1996). Characterization of the soirces of protein ligans affinity : 1-sulfonate-8-(1') anilinonaphthalene binding to intestinal fatty acid binding protein. *Biophys. J.* 70 :69-83

Konno T. Kataoka M., Kamatari Y.O., Kanaori Y., Nnosaka A., Akasaka K. (1995). Solution x-ray scattering analysis of cold-heat and urea denatured states in a protein Strptomyces sobtilisin inhibitor. *J.Mol Biol* 251, 95-103.

Koide S., Z Bu, D. Risal, T. Pham, T. Nakagawa, A. Tamura and DM Engelman. (1999). Multistep Denaturation of Borrelia burgdorferi OSPA, a Protein Containing a Single Layer Beta-scheet. *Biochemistry* 1999, 38, 4757-4767

Kratky O. Porod G. (1949). *Recl Trav chim Pays Bas.* 80 251.

Kresheck G.C., Schneider H., and Scheraga H.A. (1965). The effect of D2O on the thermal stability of proteins ; thermodynamic parameters for transfer of model compounds from H2O to D2O. *J. Phys. Chem.* 69 :3132-3144

Kuhlman B. Boice J.A., Fairman R., Railheg D.P., (1998). Structure and stability of N_terminal domain from ribosomal protein L9. Evidence for two state folding. *Biochemistry* 37 : 1025-1032.

Levinthal C. (1968). *J. Chim. Phys.* 65, 44-45

Levitt, M 1997. Competitive assessment of protein fold recognitio and alignment accuracy. *Proteins* (Suppl.) 92-104.

Lipari G & Szabo A. (1982). Protein dynamics and NMR relaxation : comparison of simulations with experiment. *J. Amer Chem Soc.* 104, 4546.

Litzhaki L.S. & Evans P.A. (1996) Solvent isotope effect on the refolding kinetics of hen egg white lysozyme. *Proteins Science* 5 :140-146 ;

Lowesey S.M. (1984) Theory of neutron scattering from condensed matter. Oxford University Press Eds.

Maeda (1981). Neocarzinostatin in cancer chemotherapy, *Anticancer Research* 1, 175-186.

Makhatadze G.I., Privalov. P, (1992). Protein interactions with urea and guanidinium chloride :A calorimetric study. *J. Mol. Biol* 226 :491-505

Matulis D. , Lovrien Rex, (1998). *Biophy. J.* vol 74 : 422-429

McCammon J.A. (1984). Protein dynamics ; *Rep Prog. Phys* 47, 1-46.

McCammon J.A. & Harvey S.C. (1987). Dynamics of proteins and nucleic acids. Cambridge university press Cambridge.

Meienhorfer et al. (1972). *Science* 178, 875-876

Minor, D. L & Kim, P.S. (1996). Context dependent secondary structure formation of a designed protein sequence. *Nature*, 380, 730-734

Miranker A. Robinson C.V., Radford S.E., Dobson CM, Investiagtion of proteins folding by mass spectrometry. *FASEB J* 10: 93-101.

Mispelter J, Lefèvre C., Adadj E., Quiniou E., Favadudon V. (1995) Internal motion of apo-néocarzinostatin ad studied by ¹³C NMR methine relaxation at natural abundance. *J. of Biomol NMR* 5, 233-244.

Neri D., Billetter M., Wider G., Wutrich K. (1992). NMR determination of residual structure in a urea-denatured protein, the 434-repressor. *Science* 257, 1559-1563.

Nielsen A.(1993) Neutron and Synchroton radiation for condensed matter studies. Les éditions de la Physique eds Baruchel p 3-33.

Novokhanty et al. (1984) *J.Mol. Biol.* 179, 215

Nozaky Y. (1970) The preparation of guanidinium hydrochloride. *Methods Enzymol.*, 26, 43-50.

Nygren P. & M. Uhlén. 1997. Scaffolds for engineering novel binding sites in proteins. *Curr. Opini.in structural Biol* 7; 463- 469.

Oono Y. (1983). Crossover behavior of transport properties of dilute polymer solutions : renormalization group approach III. *J Chem. Phys.* 79, 9, 4629-4642.

Orengo C.A., Michie A.D., Jones D.T., Swindells M.B. et Thornton J.M. (1997). CATH-a hierarchical classification of protein domain structure. *Structure* (5), 1093 - 1108.

Pace C.C., Alurents DV, Erickson RE . (1992). Urea Denaturation of Barnase :pH dependence and characterization of the Unfolded State. *Biochemistry*, 31 : 2728-2734

Pace C.N. (1986). *Methods Enzymol.* 131, 266-280

Panick G., R. Malessa, R. Winter, G.Rapp, K.J.Frye and C. Royer. (1998). Structural characterization of the Pressure-denatured State and Unfolding/Refolding Kinetics of Staphylococcal nuclease by Synchrotron Small angle X ray Scattering and Fourier transform infrared Spectroscopy. *J. Mol Biol.* 275, 389-402.

Parker M.J. clarke A.R. (1997). Amide backbone and water related H/D isotope effects on the dynamics of a pretein reaction. *Biochemistry* (1997) 36 e 5786-5794

Pedersen. J. S. et Schurtenberger P., (1996) *Macromolecules* 29 7602-7612.

Perez J., J.M.Zanotti, D.Durand (1999). Evolution of the internal dynamics of two globular Proteins from Dry Powder to solution. *Biophysical Journal* 77, 454-469.

Petrescu A., Receveur V., Calmettes P., Durand D. et Smith J.C. (1998). Excluded volume in the conformational distribution of a strongly denatured protein. *Protein Science* 7 :1396-1403.

Petrescu A., Receveur V., Calmettes P., Durand D. M. Desmadril, B. Roux et Smith J.C. (1997) Small angle neutron scattering by a strongly denatured protein :analysis using random polymer theory. *Biophys. J.* 72, 335-342

Plaxco K.W. and Dobson C.M. (1996). Time resolved biophysical methods in the study of protéine folding. *Current Opinion in structural Biology*. 6 : 630-636.

Porod. G. (1951) *Koll. Z.* 124, 83

Privalov P. L. (1979). Stability of proteins, small globular proteins. *Adv. Prot. Chem.* Vol 33: 167-241.

Privalov P.L et Makhatadze G.I. (1990). Contribution of hydration and non -covalent interactions to the heat capacity effect on protein unfolding. *J.Mol. Biol* 213, 385-391.

Privalov P.L. (1989). Thermodynamic problems of protein structure. *Annu. Rev biophys. Chem* 18, 47-69.

Privalov P.L., & Gill S.J. (1988). *Adv protein chem*, 39, 191.

Privalov P.L., Potekin S.A., (1986) Scanning Calorimetry in Studying Temperature Induced proteins. *Eur. Biophys. J.* 23: 253-262.

Ptisyn & Raschin (1973). Sequential mechanism of protein folding. *Dokl. Akad. Nauk. SSSR*, 210, 1213-1215.

Rawiso M., Duplessix R. et Picot C. (1987) *Macromolecules* 20 630-648

Réat V. I. Patzelt, M. Ferrand, C.Pfister, D. Oesterhelt and G. Zaccai.(1998) Dynamics of different functional parts of bacteriorhodopsin H-2H labelling and neutron scattering. *Proc. Natl.Acad.Sci.USA*. Vol 95

Réat V., G. Zaccai M. Ferrand, C.Pfister, (1997). Functional dynamics in purple membrane. In *Biological Macromolecular dynamics*. S Cusack, et al .editors. Adenine Press, Schenectady, NY 117-121.

Reeveur. V., Durand D., Desmadril M., Calmettes P. (1998). Repulsive interparticle interactions in a denatured protein solution revealed by small angle neutron scattering. *FEBS* , 426, 57-61

Receveur V. Thèse de doctorat. (1997). Etude structurale et dynamique des états dénaturés de la phosphoglycérate kinase de levure par diffusion des neutrons et des rayons X. Université de Paris Sud.

Receveur V., Calmettes P., Smith J.C., Desmadril M., Coddens G., D. Durand. (1997) Picosecond dynamical changes on denaturation of yeast phosphoglycerate kinase revealed by quasielastic neutron scattering ; *Proteins* 28 :380-387.

Reid, K. L., Rodriguez H.M., Hiller B.J. and Gregoret L.M. 1998. Stability of folding properties of a model B-sheet protein, Escherichia coli CspA. *Prot. Sci.* 7: 470- 479.

Remerowsky , M.L., Glaser, S.J. Sieker, L.C., Samy, T.S.A. & Drobny G.P. (1990). Sequential H-NMR assignments and secondary structure of aponeocarzinostatin in solution. *Biochemistry* 29, 8401-8409,

Richardson J.S., David C. Richardson, K.A. Thomas. (1976). Similarity of three dimensional structure between the Immunoglobulin domain and Copper, Zinc superoxide dismutase subunit. *J.Mol biol* 102, 221-235

Robinson et al. 1978, J. Am. Chem. Soc 100 :7145-7150, York & Lawson 1978, *Biochemistry* 17 : 4480-4486

Roder H and Colon W. (1997). Kinetic role of early intermediate in protein folding. *Curr Opin struct Biol* 7, 15-28.

Russel R.B., G.J.Barton. (1994). Structural Features can be Unconserved in Proteins with similar Folds. *J.Mol Biol.*, 244, 332-350.

Provencher S.W. and J. Glockner Appendix to Folwer al. (1983) *J. Biochem. Biophys. Methods* 7, 317-329.

Sali A., Shakhnovich E., Karplus M : (1994) kinetics of protein folding : a lattice model study of the requirements for folding to the native state. *J. Mol. Biol.* 235 : 1614-1636.

Scherega H.A., Némethy G., and Steinberg I.Z. (1962), *J.Biol. chem.*, 237, 2506

Schindler, T., Harrel M, Maraheil MA, schmid FX. (1995). Extremely rapid protein folding in the absence of intermediates. *Nature Struct. Biol.* 2: 663-673.

Schonbrunner, N. ; Koller, K.P. ; Kiehaber, T. ; (1997). Folding of the disulfide-bonded Beta-sheet tandemstatin: rapid two-state folding without hydrophobic collapse. *J.Mol.Biol.* 268 (2), 526-538 Receveur 1996. Thèse de doctorat. Etude structurale et dynamique des états dénaturés de la phosphoglycérate kinase de levure, par diffusion des neutrons et rayons X.

Segel D.J, A.L. Fink, K.O. Hodgson & S. Doniach. (1998). Protein denaturation : A small angle X-Ray Scattering Study of the ensemble of unfolded states of cytochrome c. *Biochemistry* 37, 12443-12451.

Segel D.J., Elizier D., Uversky V., Fink A.L., Hodgson K.O., Doniach S. (1999). Transient Domer in the refolding kinetics of Cytochrome c characterized by small angle scattering. *Biochemistry*

Sharp P., Bloomfield ,V. A, (1968) *Biopolymers*, 6, 1201

Shellman J.A. (1978) Solvent denaturation. *Biopolymer* 17, 1305-1322.

Shellman J.A. (1987).The thermodynamic stability of proteins. *Ann Rev. Biophys Chem* 16 :115-137

Shoppe et al. *Protein Science* (1997) 6 :2196-2202

Shortle D. (1993), Denatured states of proteins and their role in folding and stability. *Current Opinion in structural Biology*. 3 :66-74

Shortle D. Meeker AK. (1986). Mutant Forms of Staphylococcal nuclease with altered patterns of guanidinium hydrochloride and urea denaturation. *Proteins* 1 :81-89

Shortle D., (1996) The denatured state and its role in protein stability *FABES* J. 10 27-34.

Shortle D., Chan H.S. Dill K.A.(1992). Modeling the effects of mutations on the denatured states of proteins. *Protein Sci.* 1 :201-215

Sivaraman T., Kumar, T.K.S ; Tu, Y.T. ; Wang, W. ; lin, W.Y. ; chen,H.M. ;Yu, C. (1999). Secondary structure formation is the earliest structural event in the refolding of an all beta protein ; *Biochel. Biophys. Res. Commun.* 260 (1) ; 284-288

Smith L.J., Dobson C.M. van Gunsteren W. (1999) Molecular dynamics simulation of humans alfa-lactalbumin :changes to the structural and dynamical protptie of the protein at low pH ; *proteins Struct. Funct.genet* 36 (1) 77-86

Squires G.L. (1978) Introduction to the théory of Thermal Neutron Scattering , *Cambridge University Press*

Sudarsanam, S. (1998). Structural diversity of sequentially identical subsequences of proteins : identical octapeptides can have different conformations. *Proteins : Struct. Funct. Genet.* 30, 228-231

Sugawara T., Kuwajima K. et Sugai S. (1991). Folding of staphylococcal nuclease A studied by equilibrium and Kinetic circular dichroism spectra. *Biochemistry* 30, 2698-2706.

Svergun D. I. et al. (1995), *J. Appl. Crystallogr.* 28 768-773

Svergun D. I.Richard. S., Koch M.H.J., sayers Z., Kuprin S., Zaccai G.(1998). Protein hydration in solution : Experimental observation by X-ray and neutron scattering. *Proc. Natl. Acad. Sci. USA*, 95 2267-2272

Tanford C. (1968). Protein denaturation. *Adv Prot. Chem.* 23 121-282.

Tanford C. et al., (1973) *J. Mol. Biol.* 73 185-197

Tardieu A. Le Verge A., Malfois, F. Bonneté, Finet S., Riès-Kautt M, Belloni L.(1999). Proteins in solution :from X-ray scattering intensities to interaction potentials. *Journ. of Cryst. Growth* 196, 193-203.

Teplyakov A., Obmolova G., Wilson K., Kuromizu K. (1993). Crystal structure od apo-neocarzinostatin at 0.15 nm resolution. *Eur. J. Biochem.* 213,737-741 (1993)

Udgaonkar J.B., Baldwin RL. (1995). Nature of the eraly folding intermediate of ribunuclease A. *Biochemistry* 34 ; 4088-4096.

Vachette P., (1996).Small angle scattering by solution of biological macromlecules, *IOS press Amsterdam*

Van Roey P.and at. (1982) *Biopolymers* 21, 287

Van Nuland N.A.J., Meijberg W., Warner J., Forge V., Scheek R.M., Robillard G.T., Dobson C.M. (1998). Slow cooperative Folding of a Small Globular Prtein HPr. *Biochemistry* 37, 622-637

Volino F ; Dianoux A.J. (1980). Neutron inchoerent scattering law for diffusion in a potential of spherical symmetry : general formalism and application to diffusion inside a sphere. *Molecular physics*, 41, 271-279.

Wetlaufer DB, Malik SK, Stoller L, coffin RL. (1964). Non polar group participation in the denaturationof proteins by urea and guanidinium salts. Model compound studies. *J.Am Chem Soc* 86:508-514

Williams C., (1993) Neutron and synchreotron radiation for condensed matter studies, Les éditions de la Physique eds J. Baruchel, J. L. Hodeau, M. S. Lehman, J.R. Regnard, C. Schlenker, p 235-245.

Woody, R. W. (1994).Contribution of thryptophan side chain to the far-ultraviolet circular dichroism of

Wright P.E. (1999). Structure et dynamics of unfolded proteins and proteins folding intermediate. Book of abstracts 217th ACS National Meeting Anaheim. *Publischer American chemical Society.*

Wu, H. (1929) *Am. J. Physiol.* 90, 562

Wu, H. (1931) *Chin. J. Physiol.* 5, 321

Yamakawa H., Abe F. et Einaga Y., *Macromolecules* 26 (1993) 1898-1904

Yvon J., (1966). Les corrélations et l'entropie en mécanique statistique classique, Dunod, Paris pp 161-162 ;

Zaccai G. & Jacrot B. (1983). Small angle neutron scattering. *Ann. Rev. Biophys.. Bioeng.* 12, 139-157.

Zanotti J.M., Bellissent-funel M.C., J. Parello. (1999). Hydration couples dynamics in proteins studied by neutron scatterign and NMR :the case of the typical EF-hanf calcium binding parvalbumin. *Biophy. J.* 76, 2390-2411.

Zimm B. H., (1948) *J. Chem. Phys.* 16 1093-1099